



8 7 6 5 4 3 2 1

D  
C  
B  
A

D  
C  
B  
A




**D3034-1 BEARPAW**




**D3034-3 BEARPAW**

**RELEASED**  
12/14/23 CP  
ECN 12-671


C	MATERIAL THICKNESS WAS 1.00 FOR D3034-3, NOW 1.250 (A8-3). MIDDLE SECTION OF D3034-3 BEARPAW MODIFIED (C2-3).	AP	12.10.10
B	UPDATE FORMAT; ADD D3034-3; UPDATE NOTE 1 AND ADDED NOTES 8 & 9 (SHEETS 2 & 3)	AP	12.04.13
A	NEW ISSUE	CP	01.06.21
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	AP		
CHECKED	CP	DRAWING NO.	REV. C
MFG. APPR.	CP	D3034	SHEET 1 OF 3
APPROVED	CP	TITLE	SCALE
DE APPR.	CP	BEARPAW	NTS
DATE	12.10.10	COPYRIGHT © 2001 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




Ø 0.260 THRU  
Ø 0.93 C'BORE X 0.30 DP FROM  
BTM (LEAVE 0.650 MIN.)  
6 PL




SECTION A-A



SECTION B-B



DETAIL C  
SCALE 3X







D3034-1 BEARPAW

NOTES:

- 1) MATERIAL: UHMW BLACK TIVAR 1000 VIRGIN MATERIAL, 1.000 THICK MACHINED TO 0.950 (REF DART SPEC. MUHMWB100)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART NUMBER "D3034-1" AND BATCH NUMBER "BXXXXX" IN ACCORDANCE WITH QSI 044 METHOD 6.3
- 7) WEIGHT: 7.56 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.012
- 9) APPLY R0.12 RADIUS OR 0.06 x 45° CHAMFER TO ALL EDGES ON SIDE SHOWN UNLESS OTHERWISE INDICATED
- 10) PROFILE PER DRAWING FILE "D3034-1-REVC.STP"

RELEASED  
12/10/23

DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AP		
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3034	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BEARPAW	NTS
DATE	12.10.10	COPYRIGHT © 2001 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



**D3034-3 BEARPAW**

**NOTES:**

- 1) MATERIAL: UHMW BLACK TIVAR 1000 VIRGIN MATERIAL, 1.25 THICK MACHINED TO 1.20 (REF DART SPEC. MUHMB125)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART NUMBER "D3034-3" AND BATCH NUMBER "BXXXXX" IN ACCORDANCE WITH QSI 044 METHOD 6.3
- 7) WEIGHT: 8.59 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.012
- 9) APPLY R0.12 RADIUS OR 0.06 x 45° CHAMFER TO ALL EDGES ON SIDE SHOWN UNLESS OTHERWISE INDICATED
- 10) PROFILE PER DRAWING FILE "D3034-3-REVC.STP"

**RELEASED**  
12/10/23

DESIGN	AP	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	AP		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	<b>D3034</b>	SHEET 3 OF 3
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	<b>BEARPAW</b>	NTS
DATE	12.10.10	COPYRIGHT © 2001 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	